



Dental PBRN Study 2: Reasons for placing the first restoration on permanent tooth surface(s)

Use this Data Collection Form whenever a study restoration is placed on a previously un-restored surface, which is not related to a current restoration, on a permanent tooth.


You may place multiple 'first restorations' on the same patient during the same visit. You can do so by filling in the details on this information sheet and then filling out a restoration data sheet for each restoration.

For each question, please indicate the answer that best applies by marking an "X" in the corresponding box like this: \boxed{X} It is very important that the responses be recorded within the space allotted.

When recording numerical responses, such as amounts or dates, one number should be entered in each box and every box should have a number in it. Therefore, it may be necessary to record leading zeros when the number requires fewer boxes than provided.

Completed form should be mailed to:

Dental PBRN College of Dentistry PO Box 100415 Gainesville, FL 32610-0415



1 🗌 Yes

2 🗌 No



6. On which tooth and surface(s) did you diagnose primary caries or a non-carious defect?	7c. How deep did you estimate that the deepest part of the primary caries lesion was post operatively? (Please mark one category only.)
TOOTH NUMBER TOOTH SURFACE (MARK ALL THAT APPLY) 1 Occlusal 2 Mesial 3 Distal 4 Buccal or Facial 5 Lingual or Palatal 6 Incisal 7. What is the main reason that you placed a restoration in this tooth? (Please mark one	
response only.) 1 Restoration of a non-carious defect (For example: abrasion /abfraction / erosion, fractured tooth, unsightly area) GO TO QUESTION 7d 2 Primary caries related to a summer restoration disposed on any tooth	 Abrasion/abfraction/erosion lesion Developmental defect or hypoplasia For cosmetic reasons To restore an endodontically-treated tooth The tooth was fractured Other Did you use a base, lining or bonding material?
related to a current restoration, diagnosed on any tooth surface.) → GO TO QUESTION 7a ANSWER QUESTIONS 7a – 7c ONLY IF "PRIMARY CARIES" WAS MARKED IN QUESTION 7	 (Please mark all that apply.) 1 None 2 Resin-based bonding material 3 Glass ionomer, resin-modified glass ionomer 4 Calcium hydroxide-based cement or liner
 7a. What technique did you use to diagnose the primary caries lesion? (Please mark all that apply.) 1 Clinical assessments including probing 2 Radiographs 3 Transillumination or optical technique (e.g., 	 5 Varnish (e.g., Copalite) 6 Other (specify) 9. What material did you use for this restoration? (Please mark all that apply.)
 7b. How deep did you estimate that the deepest part of the primary caries lesion was <i>preoperatively</i>? (Please mark one category only.) 1 E1 (Outer ½ of Enamel) 2 E2 (Inner ½ of Enamel) 3 D1 (Outer ⅓ of Dentin) 4 D2 (Middle ⅓ of Dentin) 5 D3 (Inner ⅓ of Dentin) 6 Uncertain 	1 Amalgam 2 Composite resin, including compomer, directly placed (Brand:) 3 Indirect composite resin 4 Glass ionomer, resin-modified glass ionomer (Brand:) 5 Ceramic or porcelain 6 Cast gold or other base metallic restoration 7 Combined metal/ceramic restoration 8 Temporary restorative material 10. Did you use a rubber dam during the restorative procedure?
	1



11. On which tooth and surface(s) did you diagnose primary caries or a non-carious defect?	12c. How deep did you estimate that the deepest part of the primary caries lesion was <i>postoperatively</i> ? (Please mark one category only.)
	1 E1 (Outer ½ of Enamel)
TOOTH SURFACE (MARK ALL THAT APPLY)	2 E2 (Inner ½ of Enamel)
	3 □ D1 (Outer ⅓ of Dentin)
1 Occlusal	4 □ D2 (Middle ⅓ of Dentin)
2 Mesial	5 D3 (Inner ¼ of Dentin)
3 Distal	→ GO TO QUESTION 13
4 Buccal or Facial	
5 Lingual or Palatal	ANSWER QUESTION 12d ONLY IF "RESTORATION OF NON-CARIOUS DEFECT" WAS MARKED IN QUESTION 12
6 LIncisal	
12. What is the <i>main</i> reason that you placed a restoration in this tooth? (Please mark one response only.)	12d. Why did you restore the non-carious defect? (Please mark all that apply.)
1 Restoration of a non-carious	1 Abrasion/abfraction/erosion lesion
defect (For example: abrasion /abfraction / erosion,	2 Developmental defect or hypoplasia
fractured tooth, unsightly area)	3 For cosmetic reasons
	4 To restore an endodontically-treated tooth
GO TO QUESTION 12d	5 The tooth was fractured
2 Drimery certies (The first certies leaver, which is not	6 Other
2 Primary caries (The first caries lesion, which is not related to a current restoration, diagnosed on any tooth	13. Did you use a base, lining or bonding material?
surface.)	(Please mark all that apply.)
ANSWER QUESTIONS 12a – 12c ONLY IF "PRIMARY CARIES" WAS MARKED IN QUESTION 12	2 Resin-based bonding material 3 Glass ionomer, resin- modified glass ionomer
12a. What technique did you use to diagnose the	4 Calcium hydroxide-based cement or liner
primary caries lesion? (Please mark all that apply.)	5 Varnish (e.g., Copalite)
	6 Dther (specify)
1 Clinical assessments including probing	14. What material did you use for this restoration? (Please mark all
2 Radiographs	that apply.)
3 Transillumination or optical technique (e.g., Diagnodent [®])	1 🗔 Amalgam
, ,	2 Composite resin, including compomer, directly placed
12b. How deep did you estimate that the deepest part	(Brand:)
of the primary caries lesion was preoperatively? (Please mark	
one category only.)	3 Indirect composite resin
1 🗌 E1 (Outer ½ of Enamel)	4 Glass ionomer, resin-modified glass ionomer (Brand:
$2 \square E2 (Inner \frac{1}{2} of Enamel)$	5 Ceramic or porcelain
$3 \square D1$ (Outer ¹ / ₂ of Dentin)	6 Cast gold or other base metallic restoration
4 \square D2 (Middle $\frac{1}{3}$ of Dentin)	7 Combined metal/ceramic restoration
$5 \square D3 (Inner \frac{1}{3} of Dentin)$	8 Temporary restorative material
6 Uncertain	15. Did you use a rubber dam during the restorative
	procedure?
	1 🗌 Yes
	·



16. On which tooth and surface(s) did you diagnose primary caries or a non-carious defect?	17c. How deep did you estimate that the deepest part of the primary caries lesion was post operatively? (Please mark one category only.)
	1 \square E1 (Outer ½ of Enamel)
TOOTH SURFACE (MARK ALL THAT APPLY)	2 E2 (Inner ½ of Enamel)
	3 □ D1 (Outer ¼ of Dentin)
1 🔄 Occlusal	4 D2 (Middle ⅓ of Dentin)
2 Mesial	5 └── D3 (Inner ⅓ of Dentin)
3 Distal	→ GO TO QUESTION 18
4 Buccal or Facial	
5 🔄 Lingual or Palatal	ANSWER QUESTION 17d ONLY IF "RESTORATION OF NON-CARIOUS DEFECT" WAS MARKED IN QUESTION 17
6 🛄 Incisal	
17. What is the <i>main</i> reason that you placed a restoration in this tooth? (Please mark one response only.)	17d. Why did you restore the non-carious defect? (Please mark all that apply.)
1 Restoration of a non-carious	1 Abrasion/abfraction/erosion lesion
defect (For example: abrasion /abfraction / erosion,	2 Developmental defect or hypoplasia
fractured tooth, unsightly area)	3 For cosmetic reasons
	4 To restore an endodontically-treated tooth
GO TO QUESTION 17d	5 The tooth was fractured
	6 Other
2 Primary caries (The first caries lesion, which is not related to a current restoration, diagnosed on any tooth	18. Did you use a base, lining or bonding material?
surface.)	(Please mark all that apply.)
→ GO TO QUESTION 17a	
ANSWER QUESTIONS $17a - 17c$ only if "primary caries" was Marked in Question 17	2 Resin-based bonding material
	3 Glass ionomer, resin-modified glass ionomer 4 Calcium hydroxide-based cement or liner
17a. What technique did you use to diagnose the	5 Varnish (e.g., Copalite)
primary caries lesion? (Please mark all that apply.)	6 Other (specify)
1 Clinical assessments including probing	
2 🗌 Radiographs	19. What material did you use for this restoration? (Please mark all that apply.)
3 Transillumination or optical technique (e.g.,	
Diagnodent [®])	1 Amalgam
	2 Composite resin, including compomer, directly placed
17b. How deep did you estimate that the deepest part	(Brand:)
of the primary caries lesion was <i>preoperatively</i> ? (Please mark one category only.)	3 Indirect composite resin
	4 Glass ionomer, resin-modified glass ionomer
1 🔄 E1 (Outer ½ of Enamel)	(Brand:)
2 🔄 E2 (Inner ½ of Enamel)	5 Ceramic or porcelain
3 D1 (Outer ⅓ of Dentin)	6 Cast gold or other base metallic restoration
4 D2 (Middle ⅓ of Dentin)	7 Combined metal/ceramic restoration
5 D3 (Inner ⅓ of Dentin)	8 Temporary restorative material
6 🛄 Uncertain	20. Did you use a rubber dam during the restorative procedure?
	2 🗌 No



21. On which tooth and surface(s) did you diagnose primary caries or a non-carious defect?	22c. How deep did you estimate that the deepest part of the primary caries lesion was <i>postoperatively</i>? (Please mark one category only.)
	1 \square E1 (Outer ½ of Enamel)
	$2 \square E2 (Inner \frac{1}{2} of Enamel)$
TOOTH SURFACE (MARK ALL THAT APPLY)	
	4 D2 (Middle ¼ of Dentin)
2 Mesial 3 Distal	5 D3 (Inner ¼ of Dentin)
4 Buccal or Facial	→ GO TO QUESTION 23
5 Lingual or Palatal	
6 🛄 Incisal	ANSWER QUESTION 22d ONLY IF "RESTORATION OF NON-CARIOUS DEFECT" WAS MARKED IN QUESTION 22
22. What is the <i>main</i> reason that you placed a	DEFECT WAS MARKED IN QUESTION 22
restoration in this tooth? (Please mark one	
response only.)	22d. Why did you restore the non-carious defect? (Please mark all that apply.)
	(Flease mark all that apply.)
1 Restoration of a non-carious defect (For example: abrasion /abfraction / erosion.	1 Abrasion/abfraction/erosion lesion
fractured tooth, unsightly area)	2 Developmental defect or hypoplasia
	3 For cosmetic reasons
GO TO QUESTION 22d	4 To restore an endodontically-treated tooth
	5 The tooth was fractured
2 Primary caries (<i>The first caries lesion, which is not</i>	
related to a current restoration, diagnosed on any tooth	6 Other 23. Did you use a base, lining or bonding
surface.)	material?
→ GO TO QUESTION 22a	(Please mark all that apply.)
	1 None
ANSWER QUESTIONS 22a – 22c ONLY IF "PRIMARY CARIES" WAS MARKED IN QUESTION 22	2 Resin-based bonding material
	3 Glass ionomer, resin-modified glass ionomer
22a. What technique did you use to diagnose the	
primary caries lesion? (Please mark all that apply.)	
1 Clinical assessments including probing	5 Varnish (e.g., Copalite)
2 Radiographs	6 Cther (specify)
3 Transillumination or optical technique (e.g.,	24. What material did you use for this restoration? (Please mark
Diagnodent®)	all that apply.)
	1 Amalgam
22b. How deep did you estimate that the deepest part	2 Composite resin, including compomer, directly placed
of the primary caries lesion was <i>preoperatively</i> ? (Please mark	(Brand:)
one category only.)	
1 E1 (Outer ½ of Enamel)	3 Indirect composite resin
$2 \square E2 (Inner \frac{1}{2} of Enamel)$	4 Glass ionomer, resin-modified glass ionomer
$3 \square D1$ (Outer ¹ / ₃ of Dentin)	(Brand:)
	5 Ceramic or porcelain
4 \square D2 (Middle ¹ / ₃ of Dentin)	6 Cast gold or other base metallic restoration
5 □ D3 (Inner ⅓ of Dentin)	7 Combined metal/ceramic restoration
6 Uncertain	8 Temporary restorative material
	25. Did you use a rubber dam during the restorative procedure?
	1 🗌 Yes
	2 🗌 No