

The CONTENTS Procedure

Data Set Name IN.TMD_PUBLIC_20241206 Observations 1864
Member Type DATA Variables 607

Variables in Creation Order

#	Variable	Type	Len	Label
1	record_id	Char	500	Record ID
2	provider_id	Char	500	DPBRN provider ID
3	region_id	Char	500	DPBRN region ID
4	slanguage	Num	8	Patient language preference
5	dgender	Num	8	#1: Gender: 1=Male, 2=Female
6	dhispanic	Num	8	#3:Hispanic, Latino, or of Spanish origin
7	drace__1	Num	8	#4: Race:White/Caucasian
8	drace__2	Num	8	#4: Race:Black/African American
9	drace__3	Num	8	#4: Race:Asian
10	drace__4	Num	8	#4: Race: American Indian or Alaska Native
11	drace__5	Num	8	#4: Race: Native Hawaiian or Other Pacific Islander
12	drace__0	Num	8	#4: Race:Other
13	dinsur__1	Num	8	#5: Insurance to treat jaw/temple problems: Dental
14	dinsur__2	Num	8	#5: Insurance to treat jaw/temple problems: Medical
15	dinsur__0	Num	8	#5: Insurance to treat jaw/temple problems: No insurance
16	dmarital	Num	8	#7. Marital status
17	dincome	Num	8	#8. Family annual household income from all sources
18	dhousehold	Num	8	# in household to 8 (incl >8)
19	p0ljaw	Num	8	Q1_In last 30 days: Had pain in left jaw area
20	p0ltemp	Num	8	Q1_In last 30 days: Had pain in left temple area
21	p0rjaw	Num	8	Q1_In last 30 days: Had pain in right jaw area
22	p0rtemp	Num	8	Q1_In last 30 days: Had pain in right temple area
23	p0any30	Num	8	Q2_In last 30 days: when had pain: 1= came/goes 2=Persistent
24	p0awake30	Num	8	Q3_In last 30 days: had pain or stiffness in jaw on awakening
25	p0chew30	Num	8	Q4_In last 30 days: pain worsened when chew hard/tough food
26	p0open30	Num	8	Q4_In last 30 days: pain worsened when open mouth wide/moved jaw
27	p0jaw30	Num	8	Q4_In last 30 days: pain worsened when clenched, ground, chew gum
28	p0kiss30	Num	8	Q4_In last 30 days: pain worsened when kiss, talk, yawn
29	p0painnow	Num	8	Q5: Current pain (0:none to 10 as bad as can be)
30	p0worst30	Num	8	Q6: In last 30 days, rate your WORST jaw/temple pain
31	p0usual30	Num	8	Q7: In last 30 days, rate your AVERAGE jaw/ temple pain
32	p0days30	Num	8	Q8: In last 30 days, # daysd had jaw/temple pain? (Every day = 30)
33	p0no_act30	Num	8	Q9: In last 30 days, # days jaw/temple pain kept from usual activities
34	p0no_dact30	Num	8	Q10:a. In last 30 days. Pain interferred with-daily activities(0-10)
35	p0no_rec30	Num	8	Q10:b. In last 30 days. Pain interferred with-recreational/social(0-10)
36	p0no_work30	Num	8	Q10:c. In last 30 days. Pain interferred with-Ability to work(0-10)
37	p0awaken	Num	8	Q11 a. Time of day pain starts or is worse: On awakening
38	p0morn	Num	8	Q11b. Time of day pain starts or is worse: In morning
39	p0aftrn	Num	8	Q11c. Time of day pain starts or is worse:In afternoon
40	p0evening	Num	8	Q11d. Time of day pain starts or is worse:In evening
41	p0no_patrn	Num	8	Q11e.Time of day pain starts or is worse: No pattern
42	p0trauma	Num	8	Q12a. Pain stars or worsens with: Trauma to jaw
43	p0open	Num	8	Q12b. Pain stars or worsens with:Yawning or opening wide
44	p0crunch	Num	8	Q12c. Pain stars or worsens with:Eating hard, crunchy or chewy foods
45	p0wide	Num	8	Q12d. Pain stars or worsens with:Prolonged mouth opening or opening too wide

Variables in Creation Order

#	Variable	Type	Len	Label
46	p0dent_tx	Num	8	Q12e. Pain stars or worsens with:Too much pressure on jaw during dental treatment
47	p0wsdm_out	Num	8	Q12f. Pain stars or worsens with:Wisdom tooth removal
48	p0ortho	Num	8	Q12g. Pain stars or worsens with:Orthodontics (braces)
49	p0jw_surg	Num	8	Q12h. Pain stars or worsens with:Jaw surgery to improve way teeth fit
50	p0guard	Num	8	Q12i. Pain stars or worsens with:Wearing mouth guard to improve sleep and/or snoring
51	p0habits	Num	8	Q12j. Pain stars or worsens with:Oral habits, e.g, clenching/grinding teeth or chewing gum
52	p0stress	Num	8	Q12k. Pain stars or worsens with:Stress or anxiety
53	p0kiss	Num	8	Q12l. Pain stars or worsens with: Kissing
54	p0sex_bhv	Num	8	Q12m. Pain stars or worsens with: Intimate sexual behaviors
55	p0wrs_oth	Num	8	Q12n. Pain stars or worsens with: Other
56	p0idk	Num	8	Q12o. Pain stars or worsens with: Unknown
57	p0pain_exp	Num	8	Q13. How long have had jaw or temple pain
58	p0lmt_chew	Num	8	Q14a.Past 30days limitation when: Chew tough food
59	p0lmt_chx	Num	8	Q14b.Past 30days limitation when: Chew chicken
60	p0lmt_soft	Num	8	Q14c.Past 30days limitation when: Eat soft food
61	p0lmt_wide	Num	8	Q14d.Past 30days limitation when: Open wide
62	p0lmt_swllw	Num	8	Q14e.Past 30days limitation when: Swallow
63	p0lmt_ywn	Num	8	Q14f. Past 30days limitation when: Yawn
64	p0lmt_talk	Num	8	Q14g.Past 30days limitation when: Talk
65	p0lmt_smile	Num	8	Q14h.Past 30days limitation when: Smile
66	p0ha30	Num	8	Q15. In last 30 days, had headaches in temple area
67	p0ha_days30	Num	8	Q16. In last 30 days, # days headaches in temple area
68	p0ha_chew	Num	8	Q17a.In last 30 days, worsened headache: Chewing hard or tough food
69	p0ha_open	Num	8	Q17b.In last 30 days, worsened headache: Opening mouth or moving jaw
70	p0ha_habit	Num	8	Q17c.In last 30 days, worsened headache: Jaw habits,e.g., clenching, grinding
71	p0ha_ywn	Num	8	Q17d.In last 30 days, worsened headache: Other jaw activities,e.g., kissing,yawning
72	p0slp_grnd30	Num	8	Q18aSleep. Freq clench or grind teeth when asleep
73	p0slp_pos30	Num	8	Q18bSleep. Freq Sleep in a position puts pressure on jaw
74	p0awk_grnd30	Num	8	Q18a. Freq Grind, clench or press teeth together
75	p0awk_tns30	Num	8	Q18b. Freq Hold, tighten, or tense muscles w/out clenching
76	p0awk_fwd30	Num	8	Q18c. Freq Hold or thrust jaw forward or to the side
77	p0awk_tng30	Num	8	Q18d. Freq Place tongue forcibly against or between teeth
78	p0awk_bite30	Num	8	Q18e. Freq Bite, chew or play with your tongue, cheeks, or lips
79	p0awk_obj30	Num	8	Q18f. Freq Hold between the teeth or bite object
80	p0awk_gum30	Num	8	Q18g. Freq Use chewing gum
81	p0awk_instr30	Num	8	Q18h. Freq Play instrument that involves use of mouth or jaw
82	p0awk_hand30	Num	8	Q18i. Freq Lean with your hand on the jaw
83	p0awk_1sd30	Num	8	Q18j. Freq Chew food on one side only
84	p0awk_talk30	Num	8	Q18k. Freq Sustained talking
85	p0awk_sing30	Num	8	Q18l. Freq Singing
86	p0awk_tel30	Num	8	Q18m.Freq Hold phone btw head & shoulders
87	p0rest30	Num	8	Q19. In last 30 days, freq5g: feel refreshed/rested after a nights sleep
88	p0rt7__1	Num	8	Q20. Past 7 days had pain: Right Side - Jaw
89	p0rt7__2	Num	8	Q20. Past 7 days had pain: Right Side - Temple
90	p0rt7__3	Num	8	Q20. Past 7 days had pain: Right Side - Shoulder
91	p0rt7__4	Num	8	Q20. Past 7 days had pain: Right Side - Upper arm
92	p0rt7__5	Num	8	Q20. Past 7 days had pain: Right Side - Lower arm

Variables in Creation Order

#	Variable	Type	Len	Label
93	p0rt7___6	Num	8	Q20. Past 7 days had pain: Right Side - Hip
94	p0rt7___7	Num	8	Q20. Past 7 days had pain: Right Side - Upper leg
95	p0rt7___8	Num	8	Q20. Past 7 days had pain: Right Side - Lower leg
96	p0lt7___1	Num	8	Q20. Past 7 days had pain: Left Side - Jaw
97	p0lt7___2	Num	8	Q20. Past 7 days had pain: Left Side - Temple
98	p0lt7___3	Num	8	Q20. Past 7 days had pain: Left Side - Shoulder
99	p0lt7___4	Num	8	Q20. Past 7 days had pain: Left Side - Upper arm
100	p0lt7___5	Num	8	Q20. Past 7 days had pain: Left Side - Lower arm
101	p0lt7___6	Num	8	Q20. Past 7 days had pain: Left Side - Hip
102	p0lt7___7	Num	8	Q20. Past 7 days had pain: Left Side - Upper leg
103	p0lt7___8	Num	8	Q20. Past 7 days had pain: Left Side - Lower leg
104	p0trnk7___1	Num	8	Q20. Past 7 days had pain: Chest
105	p0trnk7___2	Num	8	Q20. Past 7 days had pain: Abdomen
106	p0trnk7___3	Num	8	Q20. Past 7 days had pain: Upper back
107	p0trnk7___4	Num	8	Q20. Past 7 days had pain: Lower back
108	p0neck7	Num	8	Q20. Past 7 days had pain: Neck
109	p0nopain7	Num	8	Q20. Past 7 days: No pain in any area
110	p0last3mo	Num	8	Q21. In general, areas have been painful for >= 3 months
111	p0anx2wk	Num	8	Q22a. Past 2 weeks Freq: Feel nervous, anxious or on edge
112	p0wrry2wk	Num	8	Q22b. Past 2 weeks Freq: Not able to stop or control worrying
113	p0nopls2wk	Num	8	Q22c. Past 2 weeks Freq: Little interest or pleasure in doing things
114	p0depr2wk	Num	8	Q22d. Past 2 weeks Freq: Feel down, depressed, or hopeless
115	p0ppl	Num	8	Q23. How difficult problems made it for you
116	p0health	Num	8	Q24. In general, health
117	p0denttmd	Num	8	Q25. # of dentists/health providers have seen for jaw/ temple pain
118	p0tx_rlv	Num	8	Q26. Think current Tx will relieve pain: 0(none)-10(completely)
119	p0tx_impr	Num	8	Q27. Think current Tx will improve ability use jaw: 0(none)-10(complete)
120	p0tx_stsfd	Num	8	Q28. Satisfaction with Tx presented (0-10)
121	p0tx_easy	Num	8	Q29. Ease to follow Tx(0-10)
122	p0tx_explnd	Num	8	Q30. How well Tx was explained(0--10)
123	p0end	Char	500	Month-year enroll
124	d0noise	Num	8	DDs Q1a. Pt had: TMJ noise (e.g., popping, clicking)
125	d0jstiff	Num	8	DDs Q1b. Pt had: Jaw stiffness or fatigue
126	d0jpain	Num	8	DDs Q1c. Pt had: Jaw pain
127	d0tpain	Num	8	DDs Q1d. Pt had: Temple pain
128	d0ha	Num	8	DDs Q1 e. Pt had: Headache
129	d0earpain	Num	8	DDs Q1 f. Pt had: Ear pain
130	d0no_open	Num	8	DDs Q1g. Pt had: Limited opening
131	d0catch	Num	8	DDs Q1h. Pt had: TMJ catching or locking closed
132	d0lockwide	Num	8	DDs Q1i. Pt had: Jaw locking wide open
133	d0occls	Num	8	DDs Q1j. Pt had: Change in occlusion
134	d0oth	Num	8	DDs Q1k. Pt had: Other
135	d0wrs_notest	Num	8	DDS Q2: Did not assess items tha worsened pain:0=none assessed
136	d0jmvmt	Num	8	DDS Q2a. Pain worsened with: Jaw movement
137	d0eat	Num	8	DDS Q2b. Pain worsened with:Eating/chewing
138	d0talk	Num	8	DDS Q2c. Pain worsened with:Talking
139	d0gaurd	Num	8	DDS Q2d. Pain worsened with:Mouth guard/Bite splint
140	d0hbt	Num	8	DDS Q2 e.Pain worsened with: Oral habits
141	d0gum	Num	8	DDS Q2f. Pain worsened with:Gum chewing
142	d0cafn	Num	8	DDS Q2g. Pain worsened with:Caffeine
143	d0slp	Num	8	DDS Q2h. Pain worsened with:Sleep

Variables in Creation Order

#	Variable	Type	Len	Label
144	d0yawn	Num	8	DDS Q2 i. Pain worsened with:Yawning or opening wide
145	d0wide	Num	8	DDS Q2 j. Pain worsened with:Prolonged mouth opening
146	d0denttx	Num	8	DDS Q2 k.Pain worsened with: Pressure on jaw during dental Tx
147	d0work	Num	8	DDS Q2l. Pain worsened with:Work
148	d0wthr	Num	8	DDS Q2m.Pain worsened with: Weather changes
149	d0strs	Num	8	DDS Q2n. Pain worsened with:Stress
150	d0dprsn	Num	8	DDS Q2o. Pain worsened with:Depression
151	d0anxty	Num	8	DDS Q2 p.Pain worsened with: Anxiety
152	d0kiss	Num	8	DDS Q2 q.Pain worsened with: Kissing
153	d0sex_bhv	Num	8	DDS Q2r. Pain worsened with:Intimate sexual behaviors
154	d0wrs_oth	Num	8	DDS Q2s. Pain worsened with:Other
155	d0btr_notest	Num	8	DDS Q3: Did not assess items that lessened pain:0=none assessed
156	d0cold	Num	8	DDS Q3a. Pain lessened with: Cold/Ice and/or heat
157	d0relax	Num	8	DDS Q3b. Pain lessened with: Relaxing
158	d0softdiet	Num	8	DDS Q3c. Pain lessened with: Soft diet
159	d0otc_meds	Num	8	DDS Q3d. Pain lessened with: OTC pain medication
160	d0rx_meds	Num	8	DDS Q3e. Pain lessened with: Rx pain medication
161	d0otc_gaurd	Num	8	DDS Q3f. Pain lessened with: OTC mouth guard/bite splint
162	d0dnt_gaurd	Num	8	DDS Q3g. Pain lessened with: RxMouth guard/bite splint
163	d0btr_oth	Num	8	DDS Q3h. Pain lessened with: Other
164	d0nml_rng	Num	8	DDS Q4. The jaw range of motion was within normal limits
165	d0ptpain_rng	Num	8	DDS Q5. Pt pain in their TMJs/jaw muscles w/in range of motion
166	d0plp_notest	Num	8	DDS Q6. Did not assess this, check circle:0=not assessed
167	d0plp_rtmp	Num	8	DDS Q6a. Right Temporalis muscle
168	d0plp_rmst	Num	8	DDS Q6b. Right Masseter muscle
169	d0plp_rtmj	Num	8	DDS Q6c. Right TMJ
170	d0plpr_oth	Num	8	DDS Q6d. Right List other sites
171	d0plp_ltmp_m	Num	8	DDS Q6a. Left Temporalis muscle
172	d0plp_lmst_m	Num	8	DDS Q6b. Left Masseter muscle
173	d0plp_ltmj	Num	8	DDS Q6c. Left TMJ
174	d0plpl_oth	Num	8	DDS Q6d. Left List other sites
175	d0pvk_notest	Num	8	DDS Q7. Did not assess this, check circle:0=not assessed
176	d0pvk_jaw	Num	8	DDS Q7a. ROM provoke pain: Jaw muscle(s)
177	d0pvk_rtmj	Num	8	DDS Q7b. ROM provoke pain: Right TMJ
178	d0pvk_ltmj	Num	8	DDS Q7c. ROM provoke pain: Left TMJ
179	d0pvk_ha_tmpl	Num	8	DDS Q7d. ROM provoke pain: Headache in the temple area
180	d0ns_notest	Num	8	DDS Q8. Did not assess this, check circle:0=not assessed
181	d0rclick	Num	8	DDS Q8a. Right side: Clicking/popping
182	d0rcrunch	Num	8	DDS Q8b. Right side:Crepitus
183	d0rno_ns	Num	8	DDS Q8c. Right side: No noise detected
184	d0lclick	Num	8	DDS Q8a. Left side: Clicking/popping
185	d0lcrunch	Num	8	DDS Q8b. Left side: Crepitus
186	d0lno_ns	Num	8	DDS Q8c. Left side: No noise detected
187	d0img_notest	Char	500	DDS Q9. Did not assess this, check circle:0=not assessed
188	d0panrmc	Num	8	DDS Q9a. Panoramic radiograph
189	d0cbct	Num	8	DDS Q9b. TMJ cone beam computerized tomography (CBCT)
190	d0ct	Num	8	DDS Q9c. TMJ medical computerized tomography (CT)
191	d0mri	Num	8	DDS Q9d. TMJ magnetic resonance imaging (MRI)
192	d0tens	Num	8	DDS Q9e. Myomonitor-type device with TENS
193	d0hm_slp	Num	8	DDS Q9f. Home sleep test or polysomnogram
194	d0img_oth	Num	8	DDS Q9g. Other

Variables in Creation Order

#	Variable	Type	Len	Label
195	d0dx_rtmj	Num	8	DDS Q10a. Right TMJ pain (arthralgia)
196	d0dx_ltmj	Num	8	DDS Q10b. Left TMJ pain (arthralgia)
197	d0dx_mylg	Num	8	DDS Q10c. Masticatory muscle pain (myalgia)
198	d0dx_myfs	Num	8	DDS Q10d. Masticatory muscle pain with referral
199	d0dx_ha	Num	8	DDS Q10e. Headache related to TMD pain
200	d0dx_click	Num	8	DDS Q10f. TMJ with clicking/popping noises
201	d0dx_crept	Num	8	DDS Q10g. TMJ with crepitus noises
202	d0dx_itmlck	Num	8	DDS Q10h. TMJ with intermittent limited opening
203	d0dx_prllck	Num	8	DDS Q10i. TMJ with persistent limited opening
204	d0dx_lck_wd	Num	8	DDS Q10j. TMJ with locking wide open (dislocation)
205	d0dx_oth	Num	8	DDS Q10k. Other
206	d0tx_norec	Num	8	DDS Q11. Did not recommend self-care, circle:0=none rec
207	d0tx_htcld	Num	8	DDS Q11a. Apply heat or ice
208	d0tx_soft	Num	8	DDS Q11b. Eat a soft diet
209	d0tx_chwbt	Num	8	DDS Q11c. Chew food on both sides
210	d0tx_tthaprt	Num	8	DDS Q11d. Keep your teeth apart
211	d0tx_relax	Num	8	DDS Q11e. Relax your jaw (muscles)
212	d0tx_nohbt	Num	8	DDS Q11f. Avoid oral habits
213	d0tx_nogum	Num	8	DDS Q11g. Avoid chewing gum
214	d0tx_nocafn	Num	8	DDS Q11h. Reduce caffeine intake
215	d0tx_oth	Num	8	DDS Q11i. Other
216	d0md_norec	Num	8	DDS Q12. Did not recommend med, circle:0=none rec
217	d0md_otc	Num	8	DDS Q12a. OTC analgesics
218	d0md_rxnsaid	Num	8	DDS Q12b. Prescription NSAIDs
219	d0md_rxnarc	Num	8	DDS Q12c. Prescription narcotics
220	d0md_rxcnb	Num	8	DDS Q12d. Prescription cannabinoids
221	d0md_mrlx	Num	8	DDS Q12e. Muscle relaxant
222	d0md_antdp	Num	8	DDS Q12f. Tricyclic antidepressants
223	d0md_oth	Num	8	DDS Q12g. Other
224	d0at	Num	8	DDS Q13. Recommend ANY type of intra-oral appliance
225	d0atfb_lab	Num	8	DDS Q14.1. Commercial laboratory (custom made)
226	d0atfb_clnc	Num	8	DDS Q14.2. Made in dental clinic (custom made)
227	d0atfb_otc	Num	8	DDS Q14.3. Over-the-counter stock appliance
228	d0atam_mt	Num	8	DDS Q14.4. Methyl methacrylate
229	d0atam_thm	Num	8	DDS Q14.5. Thermoplastic
230	d0atam_lam	Num	8	DDS Q14.6. Laminated
231	d0atam_sft	Num	8	DDS Q14.7. Soft material
232	d0atam_bl	Num	8	DDS Q14.8. Boil and bite
233	d0atam_vc	Num	8	DDS Q14.9. Vacuum-formed
234	d0atar_up	Num	8	DDS Q14.10. Upper
235	d0atar_lw	Num	8	DDS Q14.11. Lower
236	d0atar_bth	Num	8	DDS Q14.12. Both
237	d0atcv_fl	Num	8	DDS Q14.13. Full arch coverage
238	d0atcv_ant	Num	8	DDS Q14.14. Anterior only coverage
239	d0atcv_pst	Num	8	DDS Q14.15. Posterior only coverage
240	d0atcv_2slp	Num	8	DDS Q14.16. Two-arch sleep apnea style appliance
241	d0atcv_2cv	Num	8	DDS Q14.17. Two-arch coverage without repositioning
242	d0atjp_cln	Num	8	DDS Q14.18. Clinician guided
243	d0atjp_rst	Num	8	DDS Q14.19. Rest closure
244	d0atjp_mx	Num	8	DDS Q14.20. Maximum intercuspal position
245	d0atjp_ptrs	Num	8	DDS Q14.21. Protrusive position

Variables in Creation Order

#	Variable	Type	Len	Label
246	d0atjp_elc	Num	8	DDS Q14.22. Determined by electronic instrumentation
247	d0atjp_mri	Num	8	DDS Q14.23. Determined by TMJ MRI
248	d0atoc_fl	Num	8	DDS Q14.24. Full arch
249	d0atoc_ant	Num	8	DDS Q14.25. Anterior only
250	d0atoc_pst	Num	8	DDS Q14.26. Posterior only
251	d0atec_stant	Num	8	DDS Q14.27. Steep anterior guidance
252	d0atec_shant	Num	8	DDS Q14.28. Shallow anterior guidance
253	d0atec_flant	Num	8	DDS Q14.29. Flat anterior guidance
254	d0atec_k9	Num	8	DDS Q14.30. Canine guidance
255	d0atec_grp	Num	8	DDS Q14.31. Group function (posterior and canine)
256	d0atec_k9ant	Num	8	DDS Q14.32. Canine guidance with anterior crossover
257	d0atec_pst	Num	8	DDS Q14.33. Posterior only
258	d0atec_nwbal	Num	8	DDS Q14.34. Non-working balancing contacts
259	d0atec_rvsinc	Num	8	DDS Q14.35. Reverse incline
260	d0att_norec	Num	8	DDS Q15a. No specific rec made
261	d0att_awk	Num	8	DDS Q15b. When awake (excluding during eating)
262	d0att_eat	Num	8	DDS Q15c. When eating
263	d0att_slp	Num	8	DDS Q15d. During sleep
264	d0atg_stbm	Num	8	DDS Q16a. Stabilization of the masticatory system
265	d0atg_slp	Num	8	DDS Q16b. Recapture of displaced TMJ disc(s) during sleep only
266	d0atg_perm	Num	8	DDS Q16c. Recapture of displaced TMJ disc(s) permanently
267	d0atg_rtrdsc	Num	8	DDS Q16d. Relief of retrodiscal pain
268	d0atg_mrlx	Num	8	DDS Q16e. Muscle relaxation (deprogramming)
269	d0atg_vrt	Num	8	DDS Q16f. Alteration of the vertical dimension of occlusion
270	d0atg_stbj	Num	8	DDS Q16g. Stabilization of jaw position prior to correcting
271	d0atg_slpb	Num	8	DDS Q16h. Management of sleep-disordered breathing
272	d0atg_unld	Num	8	DDS Q16i. Unload the TMJ/jaw joints
273	d0atg_oth	Num	8	DDS Q16j. Other
274	d0noothrec	Num	8	DDS Q17. Did not rec additional Tx, circle:0=none rec
275	d0r_herb	Num	8	DDS Q17a. Herbs or supplements for pain
276	d0r_jexcer	Num	8	DDS Q17b. Jaw exercises
277	d0r_slfmas	Num	8	DDS Q17c. Self massage of jaw or temple
278	d0r_mas	Num	8	DDS Q17d. Massage therapy
279	d0r_pt	Num	8	DDS Q17e. Physical therapy
280	d0r_chiro	Num	8	DDS Q17f. Chiropractic treatment
281	d0r_psych	Num	8	DDS Q17g. Psychological treatment
282	d0r_lsr	Num	8	DDS Q17h. Low level laser therapy
283	d0r_ptijn	Num	8	DDS Q17i. Trigger point injections
284	d0r_botox	Num	8	DDS Q17j. Botox injections
285	d0r_acup	Num	8	DDS Q17k. Acupuncture
286	d0r_oclu	Num	8	DDS Q17l. Occlusal adjustment (bite adjustment)
287	d0r_ortho	Num	8	DDS Q17m. Orthodontics for occlusal stabilization
288	d0r_restdn	Num	8	DDS Q17n. Restorative dentistry for occlusal stabilization
289	d0r_recnst	Num	8	DDS Q17o. Full mouth reconstruction for occlusal stabilization
290	d0r_jsrg	Num	8	DDS Q17p. Jaw surgery (Orthognathic surgery)
291	d0r_arthcnt	Num	8	DDS Q17q. TMJ arthrocentesis
292	d0r_arthscp	Num	8	DDS Q17r. TMJ arthroscopic surgery
293	d0r_jntsrg	Num	8	DDS Q17s. TMJ open joint surgery
294	d0r_oth	Num	8	DDS Q17t. Other
295	d0r_who__1	Num	8	DDS Q18. Dentist - Provided treatment rec
296	d0r_who__2	Num	8	DDS Q18. Hygenist - Provided treatment rec

Variables in Creation Order

#	Variable	Type	Len	Label
297	d0r_who__3	Num	8	DDS Q18. Dental assistant - Provided treatment rec
298	d0r_who__0	Num	8	DDS Q18. Other personnel- Provided treatment rec
299	d0lmt_cost	Num	8	DDS Q19a. Difficulty wrt Tx: Financial cost to patient
300	d0lmt_ins	Num	8	DDS Q19b. Difficulty wrt Tx: Lack of insurance coverage
301	d0lmt_sdef	Num	8	DDS Q19c. Difficulty wrt Tx:Side effects of the Tx
302	d0lmt_cmpl	Num	8	DDS Q19d. Difficulty wrt Tx:Patient compliance
303	d0lmt_time	Num	8	DDS Q19e. Difficult or time consuming for the patient
304	d0lmt_ptprf	Num	8	DDS Q19f. Difficulty wrt Tx:Tx was not patient preference
305	d0lmt_efct	Num	8	DDS Q19g. Difficulty wrt Tx:Tx may not be effective
306	d0lmt_term	Num	8	DDS Q19h. Difficulty wrt Tx:Tx may only have short-term effect
307	d0lmt_dntime	Num	8	DDS Q19i. Difficulty wrt Tx:Time consuming DDS to implement
308	d0lmt_dndif	Num	8	DDS Q19j. Difficulty wrt Tx: Tx difficult DDS to implement
309	d0lmt_expr	Num	8	DDS Q19k. Difficulty wrt Tx: Minimal experience re Tx
310	d0lmt_nopt	Num	8	DDS Q19l. Difficulty wrt Tx: Availability of therapist for referral
311	d0lmt_nops	Num	8	DDS Q19m. Difficulty wrt Tx:Availability of psych for referral
312	d0lmt_oth	Num	8	DDS Q19n. Difficulty wrt Tx: Other
313	d0pt_insurr	Num	8	DDS Q20. Patient had insurance for Tx
314	d0insurr_tp	Num	8	DDS Q21. Type of insurance patient reported
315	d0ptlmt_cost	Num	8	DDS Q22. Patient finances prevented rec Tx options
316	d0dn_txrlv	Num	8	DDS Q23. Degree Tx will relieve Pt pain (0-10)
317	d0dn_tximpr	Num	8	DDS Q24. Degree Tx will improve Pt ability use jaw
318	d0dn_txsat	Num	8	DDS Q25. Expected Pt satisfaction with Tx (0-10)
319	d0dn_txease	Num	8	DDS Q26. Ease for Pt to follow Tx rec (0-10)
320	d0tx_undrstnd	Num	8	DDS Q27. Degree Pt understand Tx rec (0-10)
321	withdrawal	Num	8	Patient withdrew from study:
322	wdeptmt	Num	8	Did this person request that none of their collected data be used for the study?
323	p1anypain	Num	8	1mQ1. Last 30 days, had any jaw or temple pain
324	p1ljaw	Num	8	1mQ2a. Last 30 days pain in Left jaw area
325	p1ltemp	Num	8	1mQ2b. Last 30 days pain in Left temple area
326	p1rjaw	Num	8	1mQ2c. Last 30 days pain in Right jaw area
327	p1rtemp	Num	8	1mQ2d. Last 30 days pain in Right temple area
328	p1painnow	Num	8	1mQ3. Current jaw or temple pain (0-10)
329	p1worst30	Num	8	1mQ4. In last 30 days, WORST jaw or temple pain (0-10)
330	p1usual30	Num	8	1mQ5. In last 30 days, AVERAGE jaw or temple pain (0-10)
331	p1days30	Num	8	1mQ6. In last 30 days, # days had jaw or temple pain
332	p1no_act30	Num	8	1mQ7. In last 30 days, # days jaw/temple pain prevented USUAL ACTIVITIES
333	p1no_dact30	Num	8	1mQ8a. Degree (0-10) pain interferred with: Daily activities
334	p1no_rec30	Num	8	1mQb. Degree (0-10) pain interferred with:Rec/social
335	p1no_work30	Num	8	1mQ8c. Degree (0-10) pain interferred with: Ability to work
336	p1lmt_chew	Num	8	1mQ9a. Last 30days, limitation: Chew tough food
337	p1lmt_chx	Num	8	1mQ9b. Last 30days, limitation: Chew chicken
338	p1lmt_soft	Num	8	1mQ9c. Last 30days, limitation: Eat soft food
339	p1lmt_wide	Num	8	1mQ9d. Last 30days, limitation: Open wide
340	p1lmt_swllw	Num	8	1mQ9e. Last 30days, limitation: Swallow
341	p1lmt_ywn	Num	8	1mQ9f. Last 30days, limitation: Yawn
342	p1lmt_talk	Num	8	1mQ9g. Last 30days, limitation: Talk
343	p1lmt_smile	Num	8	1mQ9h. Last 30days, limitation: Smile
344	p1ha30	Num	8	1mQ10. In last 30 days, had headaches in temple area
345	p1ha_days30	Num	8	1mQ11. In last 30 days, # days had headaches in temple area
346	p1ha_chew	Num	8	1mQ12a. worsen/lessen pain: Chew hard/tough food

Variables in Creation Order

#	Variable	Type	Len	Label
347	p1ha_open	Num	8	1mQ12b. worsen/lessen pain: Open mouth/move jaw
348	p1ha_habit	Num	8	1mQ12c. worsen/lessen pain: Clench/grind/chew gum
349	p1ha_ywn	Num	8	1mQ12d. worsen/lessen pain: Other e.g., talk, kiss, yawn
350	p1pt_txrlv	Num	8	1mQ13. Degree (0-10) Tx relieved pain
351	p1pt_tximpr	Num	8	1mQ14. Improvement in ability to use jaw
352	p1pt_txsat	Num	8	1mQ15. Satisfaction with Tx
353	p1pt_txease	Num	8	1mQ16. Ease to follow Tx
354	p1txundrst	Num	8	1mQ17. How well understand what Tx were rec
355	p1txwhy	Num	8	1mQ18. How well understand why Tx were rec
356	p1tx_pain	Num	8	1mQ19a. Certainty: Decrease jaw pain
357	p1tx_slp	Num	8	1mQ19b. Certainty: Keep jaw pain from interfering with sleep
358	p1tx_do	Num	8	1mQ19c. Certainty: Keep jaw pain from interfering w/things want to do
359	p1tx_actv	Num	8	1mQ19d. Certainty: Regulate activities to not aggravate jaw
360	p1tx_fatig	Num	8	1mQ19e. Certainty: Keep fatigue from jaw pain from restrict other activities
361	p1tx_flbtr	Num	8	1mQ19f. Certainty: Do something to feel better if feeling blue
362	p1tx_dact	Num	8	1mQ19g. Certainty: Manage jaw pain during your daily activities
363	p1tx_frust	Num	8	1mQ19h. Certainty: Deal with frustration of jaw pain
364	p1gawk	Num	8	1mQ20a.Rec Tx: Wear mouth guard when awake
365	p1geat	Num	8	1mQ20b.Rec Tx: Wear mouth guard when eating
366	p1gslp	Num	8	1mQ20c.Rec Tx: Wear mouth guard when sleeping
367	p1md	Num	8	1mQ20d.Rec Tx: Medication
368	p1selfcare	Num	8	1mQ20e.Rec Tx: Self-care
369	p1exc	Num	8	1mQ20f. Rec Tx:Jaw exercises
370	p1pt	Num	8	1mQ20g.Rec Tx: See physical therapist
371	p1chiro	Num	8	1mQ20h.Rec Tx: See chiropractor
372	p1psych	Num	8	1mQ20i. Rec Tx: Professional counselor
373	p1gawk_fl	Num	8	1mQ21a.Do as rec: Wear mouth guard when awake
374	p1geat_fl	Num	8	1mQ21b.Do as rec: Wear mouth guard when eating
375	p1gslp_fl	Num	8	1mQ21c.Do as rec: Wear mouth guard when sleeping
376	p1md_fl	Num	8	1mQ21d.Do as rec: Medication
377	p1selfcare_fl	Num	8	1mQ21e.Do as rec: Self-care
378	p1exc_fl	Num	8	1mQ21f. Do as rec:Jaw exercises
379	p1pt_fl	Num	8	1mQ21g.Do as rec: Scheduled/saw physical therapist
380	p1chiro_fl	Num	8	1mQ21h.Do as rec: Scheduled/saw chiropractor
381	p1psych_fl	Num	8	1mQ21i. Do as rec:Scheduled/Professional counselor
382	p1lmt_cost	Num	8	1mQ22. Cost reason not accept any rec Tx
383	p1gawk_ch	Num	8	1mQ23a.Deg chg pain: Wear a mouth guard when awake
384	p1geat_ch	Num	8	1mQ23b.Deg chg pain: Wear a mouth guard when eating
385	p1gslp_ch	Num	8	1mQ23c.Deg chg pain: Wear a mouth guard when sleeping
386	p1md_ch	Num	8	1mQ23d.Deg chg pain: Medications
387	p1selfcare_ch	Num	8	1mQ23e.Deg chg pain: Self-care
388	p1exc_ch	Num	8	1mQ23f. Deg chg pain:Jaw Exercises
389	p1pt_ch	Num	8	1mQ23g.Deg chg pain: Care by physical therapist
390	p1chiro_ch	Num	8	1mQ23h.Deg chg pain: Care by chiropractor
391	p1psych_ch	Num	8	1mQ23i. Deg chg pain:Care by professional counselor
392	p1gawk_se	Num	8	1mQ24a.Side effects from: Mouth guard when awake
393	p1geat_se	Num	8	1mQ24b. Side effects from: Mouth guard when eating
394	p1gslp_se	Num	8	1mQ24c. Side effects from: Mouth guard when sleeping
395	p1md_se	Num	8	1mQ24d. Side effects from: Medications
396	p1selfcare_se	Num	8	1mQ24e. Side effects from: Self-care
397	p1exc_se	Num	8	1mQ24f. Side effects from: Jaw Exercises

Variables in Creation Order

#	Variable	Type	Len	Label
398	p1pt_se	Num	8	1mQ24g. Side effects from: Physical therapist
399	p1chiro_se	Num	8	1mQ24h. Side effects from: Chiropractor
400	p1psych_se	Num	8	1mQ24i. Side effects from: Care by professional counselor
401	p1pnchn30	Num	8	1mQ25. Last 30 days, change in jaw/temple pain
402	p1end	Char	500	Month-Year patient completed 1-month followup
403	p1complete	Num	8	Patient completed 1-month
404	p3anypain	Num	8	3mQ1. Last 30 days, had any jaw or temple pain
405	p3ljaw	Num	8	3mQ2a. Last 30 days pain in Left jaw area
406	p3ltemp	Num	8	3mQ2b. Last 30 days pain in Left temple area
407	p3rjaw	Num	8	3mQ2c. Last 30 days pain in Right jaw area
408	p3rtemp	Num	8	3mQ2d. Last 30 days pain in Right temple area
409	p3painnow	Num	8	3mQ3. Current jaw or temple pain (0-10)
410	p3worst30	Num	8	3mQ4. In last 30 days, WORST jaw or temple pain (0-10)
411	p3usual30	Num	8	3mQ5. In last 30 days, AVERAGE jaw or temple pain (0-10)
412	p3days30	Num	8	3mQ6. In last 30 days, # days had jaw or temple pain
413	p3no_act30	Num	8	3mQ7. In last 30 days, # days jaw/temple pain prevented USUAL ACTIVITIES
414	p3no_dact30	Num	8	3mQ8a. Degree (0-10) pain interfered with: Daily activities
415	p3no_rec30	Num	8	3mQb. Degree (0-10) pain interfered with: Rec/social
416	p3no_work30	Num	8	3mQ8c. Degree (0-10) pain interfered with: Ability to work
417	p3lmt_chew	Num	8	3mQ9a. Last 30days, limitation: Chew tough food
418	p3lmt_chx	Num	8	3mQ9b. Last 30days, limitation: Chew chicken
419	p3lmt_soft	Num	8	3mQ9c. Last 30days, limitation: Eat soft food
420	p3lmt_wide	Num	8	3mQ9d. Last 30days, limitation: Open wide
421	p3lmt_swllw	Num	8	3mQ9e. Last 30days, limitation: Swallow
422	p3lmt_ywn	Num	8	3mQ9f. Last 30days, limitation: Yawn
423	p3lmt_talk	Num	8	3mQ9g. Last 30days, limitation: Talk
424	p3lmt_smile	Num	8	3mQ9h. Last 30days, limitation: Smile
425	p3ha30	Num	8	3mQ10. In last 30 days, had headaches in temple area
426	p3ha_days30	Num	8	3mQ11. In last 30 days, # days had headaches in temple area
427	p3ha_chew	Num	8	3mQ12a. worsen/lessen pain: Chew hard/tough food
428	p3ha_open	Num	8	3mQ12b. worsen/lessen pain: Open mouth/move jaw
429	p3ha_habit	Num	8	3mQ12c. worsen/lessen pain: Clench/grind/chew gum
430	p3ha_ywn	Num	8	3mQ12d. worsen/lessen pain: Other e.g., talk, kiss, yawn
431	p3pt_txrlv	Num	8	3mQ13. Degree (0-10) Tx relieved pain
432	p3pt_tximpr	Num	8	3mQ14. Improvement in ability to use jaw
433	p3pt_txsat	Num	8	3mQ15. Satisfaction with Tx
434	p3pt_txease	Num	8	3mQ16. Ease to follow Tx
435	p3gawk_fl	Num	8	3mQ17a.Rec Tx: Wear mouth guard when awake
436	p3geat_fl	Num	8	3mQ17b.Rec Tx: Wear mouth guard when eating
437	p3gslp_fl	Num	8	3mQ17c.Rec Tx: Wear mouth guard when sleeping
438	p3md_fl	Num	8	3mQ17d.Rec Tx: Medication
439	p3selfcare_fl	Num	8	3mQ17e.Rec Tx: Self-care
440	p3exc_fl	Num	8	3mQ17f. Rec Tx:Jaw exercises
441	p3pt_fl	Num	8	3mQ17g.Rec Tx: See physical therapist
442	p3chiro_fl	Num	8	3mQ17h.Rec Tx: See chiropractor
443	p3psych_fl	Num	8	3mQ17i. Rec Tx: Professional counselor
444	p3gawk_ch	Num	8	3mQ18a.Deg chg pain: Wear a mouth guard when awake
445	p3geat_ch	Num	8	3mQ18b.Deg chg pain: Wear a mouth guard when eating
446	p3gslp_ch	Num	8	3mQ18c.Deg chg pain: Wear a mouth guard when sleeping
447	p3md_ch	Num	8	3mQ18d.Deg chg pain: Medications
448	p3selfcare_ch	Num	8	3mQ18e.Deg chg pain: Self-care

Variables in Creation Order

#	Variable	Type	Len	Label
449	p3exc_ch	Num	8	3mQ18f. Deg chg pain:Jaw Exercises
450	p3pt_ch	Num	8	3mQ18g.Deg chg pain: Care by physical therapist
451	p3chiro_ch	Num	8	3mQ18h.Deg chg pain: Care by chiropractor
452	p3psych_ch	Num	8	3mQ18i. Deg chg pain:Care by professional counselor
453	p3gawk_se	Num	8	3mQ19a.Side effects from: Mouth guard when awake
454	p3geat_se	Num	8	3mQ19b. Side effects from: Mouth guard when eating
455	p3gslp_se	Num	8	3mQ19c. Side effects from: Mouth guard when sleeping
456	p3md_se	Num	8	3mQ19d. Side effects from: Medications
457	p3selfcare_se	Num	8	3mQ19e. Side effects from: Self-care
458	p3exc_se	Num	8	3mQ19f. Side effects from: Jaw Exercises
459	p3pt_se	Num	8	3mQ19g. Side effects from: Physical therapist
460	p3chiro_se	Num	8	3mQ19h. Side effects from: Chiropractor
461	p3psych_se	Num	8	3mQ19i. Side effects from: Care by professional counselor
462	p3pnchn30	Num	8	3mQ20. Last 30 days, change in jaw/temple pain
463	p3end	Char	500	Month-Year patient completed 3-month followup
464	p3complete	Num	8	Patient completed 3-month
465	p6anypain	Num	8	6mQ1. Last 30 days, had any jaw or temple pain
466	p6ljaw	Num	8	6mQ2a. Last 30 days pain in Left jaw area
467	p6ltemp	Num	8	6mQ2b. Last 30 days pain in Left temple area
468	p6rjaw	Num	8	6mQ2c. Last 30 days pain in Right jaw area
469	p6rtemp	Num	8	6mQ2d. Last 30 days pain in Right temple area
470	p6painnow	Num	8	6mQ3. Current jaw or temple pain (0-10)
471	p6worst30	Num	8	6mQ4. In last 30 days, WORST jaw or temple pain (0-10)
472	p6usual30	Num	8	6mQ5. In last 30 days, AVERAGE jaw or temple pain (0-10)
473	p6days30	Num	8	6mQ6. In last 30 days, # days had jaw or temple pain
474	p6no_act30	Num	8	6mQ7. In last 30 days, # days jaw/temple pain prevented USUAL ACTIVITIES
475	p6no_dact30	Num	8	6mQ8a. Degree (0-10) pain interferred with: Daily activities
476	p6no_rec30	Num	8	6mQb. Degree (0-10) pain interferred with:Rec/social
477	p6no_work30	Num	8	6mQ8c. Degree (0-10) pain interferred with: Ability to work
478	p6lmt_chew	Num	8	6mQ9a. Last 30days, limitation: Chew tough food
479	p6lmt_chx	Num	8	6mQ9b. Last 30days, limitation: Chew chicken
480	p6lmt_soft	Num	8	6mQ9c. Last 30days, limitation: Eat soft food
481	p6lmt_wide	Num	8	6mQ9d. Last 30days, limitation: Open wide
482	p6lmt_swllw	Num	8	6mQ9e. Last 30days, limitation: Swallow
483	p6lmt_ywn	Num	8	6mQ9f. Last 30days, limitation: Yawn
484	p6lmt_talk	Num	8	6mQ9g. Last 30days, limitation: Talk
485	p6lmt_smile	Num	8	6mQ9h. Last 30days, limitation: Smile
486	p6ha30	Num	8	6mQ10. In last 30 days, had headaches in temple area
487	p6ha_days30	Num	8	6mQ11. In last 30 days, # days had headaches in temple area
488	p6ha_chew	Num	8	6mQ12a. worsen/lessen pain: Chew hard/tough food
489	p6ha_open	Num	8	6mQ12b. worsen/lessen pain: Open mouth/move jaw
490	p6ha_habit	Num	8	6mQ12c. worsen/lessen pain: Clench/grind/chew gum
491	p6ha_ywn	Num	8	6mQ12d. worsen/lessen pain: Other e.g., talk, kiss, yawn
492	p6pt_txrlv	Num	8	6mQ13. Degree (0-10) Tx relieved pain
493	p6pt_tximpr	Num	8	6mQ14. Improvement in ability to use jaw
494	p6pt_txsat	Num	8	6mQ15. Satisfaction with Tx
495	p6pt_txease	Num	8	6mQ16. Ease to follow Tx
496	p6gawk_fl	Num	8	6mQ17a.Rec Tx: Wear mouth guard when awake
497	p6geat_fl	Num	8	6mQ17b.Rec Tx: Wear mouth guard when eating
498	p6gslp_fl	Num	8	6mQ17c.Rec Tx: Wear mouth guard when sleeping
499	p6md_fl	Num	8	6mQ17d.Rec Tx: Medication

Variables in Creation Order

#	Variable	Type	Len	Label
500	p6selfcare_fl	Num	8	6mQ17e.Rec Tx: Self-care
501	p6exc_fl	Num	8	6mQ17f. Rec Tx:Jaw exercises
502	p6pt_fl	Num	8	6mQ17g.Rec Tx: See physical therapist
503	p6chiro_fl	Num	8	6mQ17h.Rec Tx: See chiropractor
504	p6psych_fl	Num	8	6mQ17i. Rec Tx: Professional counselor
505	p6gawk_ch	Num	8	6mQ18a.Deg chg pain: Wear a mouth guard when awake
506	p6geat_ch	Num	8	6mQ18b.Deg chg pain: Wear a mouth guard when eating
507	p6gslp_ch	Num	8	6mQ18c.Deg chg pain: Wear a mouth guard when sleeping
508	p6md_ch	Num	8	6mQ18d.Deg chg pain: Medications
509	p6selfcare_ch	Num	8	6mQ18e.Deg chg pain: Self-care
510	p6exc_ch	Num	8	6mQ18f. Deg chg pain:Jaw Exercises
511	p6pt_ch	Num	8	6mQ18g.Deg chg pain: Care by physical therapist
512	p6chiro_ch	Num	8	6mQ18h.Deg chg pain: Care by chiropractor
513	p6psych_ch	Num	8	6mQ18i. Deg chg pain:Care by professional counselor
514	p6gawk_se	Num	8	6mQ19a.Side effects from: Mouth guard when awake
515	p6geat_se	Num	8	6mQ19b. Side effects from: Mouth guard when eating
516	p6gslp_se	Num	8	6mQ19c. Side effects from: Mouth guard when sleeping
517	p6md_se	Num	8	6mQ19d. Side effects from: Medications
518	p6selfcare_se	Num	8	6mQ19e. Side effects from: Self-care
519	p6exc_se	Num	8	6mQ19f. Side effects from: Jaw Exercises
520	p6pt_se	Num	8	6mQ19g. Side effects from: Physical therapist
521	p6chiro_se	Num	8	6mQ19h. Side effects from: Chiropractor
522	p6psych_se	Num	8	6mQ19i. Side effects from: Care by professional counselor
523	p6pnchn30	Num	8	6mQ20. Last 30 days, change in jaw/temple pain
524	p6othprof	Num	8	6mQ21. # other prof have seen for jaw pain beyond rec by DDS
525	p6sumry	Num	8	6mQ22. Would like brief summary of results
526	p6futeq	Num	8	6mQ23. Can contact in future
527	p6end	Char	500	Month-Year patient completed 6-month followup
528	p6complete	Num	8	Patient completed 6-month
529	d6end	Char	500	Month-Year dentist completed 6-month followup
530	d6ptreturn	Num	8	D6mQ1. Patient returned
531	d6ptadhere	Num	8	D6mQ2. Did patient adhere OVERALL to Tx Rec
532	d6gawk	Num	8	D6mQ3a. Adher: Wear mouth guard when awake
533	d6geat	Num	8	D6mQ3b. Adher: Wear mouth guard when eating
534	d6gslp	Num	8	D6mQ3c. Adher: Wear mouth guard when sleeping
535	d6md	Num	8	D6mQ3d. Adher: Medication
536	d6selfcare	Num	8	D6mQ3e. Adher: Self-care
537	d6exc	Num	8	D6mQ3f. Adher: Jaw exercises
538	d6pt	Num	8	D6mQ3g. Adher: See physical therapist
539	d6chiro	Num	8	D6mQ3h. Adher: See chiropractor
540	d6psych	Num	8	D6mQ3i. Adher: See psychologist, etc.
541	d6oth	Num	8	D6mQ3j. Adher: Other
542	d6lmt_cost	Num	8	D6mQ4a. Difficulty: Financial cost to patient
543	d6lmt_ins	Num	8	D6mQ4b. Difficulty: Lack of insurance coverage
544	d6lmt_sdef	Num	8	D6mQ4c. Difficulty: Side effects of Tx
545	d6lmt_cmpl	Num	8	D6mQ4d. Difficulty: Patients compliance
546	d6lmt_time	Num	8	D6mQ4e. Difficult or time consuming for the patient
547	d6lmt_ptprf	Num	8	D6mQ4f. Difficulty: Tx was not patient preference
548	d6lmt_efct	Num	8	D6mQ4g. Difficulty: Tx may not be effective
549	d6lmt_term	Num	8	D6mQ4h. Difficulty: Tx may only have short-term effect
550	d6lmt_dntime	Num	8	D6mQ4i. Difficulty: Time consuming to implement

Variables in Creation Order

#	Variable	Type	Len	Label
551	d6lmt_dndif	Num	8	D6mQ4j. Difficulty: Tx is difficult for you to implement
552	d6lmt_expr	Num	8	D6mQ4k. Difficulty: Minimal experience/training doing Tx
553	d6lmt_nopt	Num	8	D6mQ4l. Difficulty: Availability of physical therapist
554	d6lmt_nops	Num	8	D6mQ4m. Difficulty: Availability of psychologist
555	d6lmt_oth	Num	8	D6mQ4n. Difficulty: Other
556	d6dn_txrlv	Num	8	D6mQ5. Amount Tx relieve Pt pain
557	d6dn_tximpr	Num	8	D6mQ6. Amount Tx improve Pt ability use their jaw
558	d6dn_txsat	Num	8	D6mQ7. How satisfied was patient with Tx
559	d6dn_txease	Num	8	D6mQ8. Ease for Pt to follow Pt
560	d6dx_ch	Num	8	D6mQ9. Did your Pt TMD dx change
561	d6dx_rtmj	Num	8	D6mQ10a. Curr Dx: Right TMJ pain (arthralgia)
562	d6dx_ltmj	Num	8	D6mQ10b. Curr Dx:Left TMJ pain (arthralgia)
563	d6dx_mylg	Num	8	D6mQ10c. Curr Dx:Masticatory muscle pain (myalgia)
564	d6dx_myfs	Num	8	D6mQ10d. Curr Dx:Masticatory muscle pain with referral (myofascial pain)
565	d6dx_ha	Num	8	D6mQ10e. Curr Dx:Headache related to TMD pain
566	d6dx_click	Num	8	D6mQ10f. Curr Dx:TMJ disorder with clicking/popping noises
567	d6dx_crept	Num	8	D6mQ10g. Curr Dx:TMJ disorder with crepitus noises
568	d6dx_itmclck	Num	8	D6mQ10h. Curr Dx:TMJ disorder with intermittent limited opening
569	d6dx_prllck	Num	8	D6mQ10i. TCurr Dx:MJ disorder with persistent limited opening
570	d6dx_lck_wd	Num	8	D6mQ10j. Curr Dx:TMJ disorder with locking wide open
571	d6dx_oth	Num	8	D6mQ10k. Curr Dx: Other
572	d6ch_rec	Num	8	D6mQ11. Changed initial Tx rec in any way
573	d6r_selfcr	Num	8	D6mQ12a. NewTx rec: Self care
574	d6r_med	Num	8	D6mQ12b. NewTx rec: Medications
575	d6r_attx	Num	8	D6mQ12c. NewTx rec: Intra-oral appliance
576	d6r_herb	Num	8	D6mQ12d. NewTx rec: Herbs/supplements for pain
577	d6r_jexcer	Num	8	D6mQ12e. NewTx rec: Jaw exercises
578	d6r_slfmas	Num	8	D6mQ12f. NewTx rec: Self massage of jaw/temple
579	d6r_mas	Num	8	D6mQ12g. NewTx rec: Massage therapy
580	d6r_pt	Num	8	D6mQ12h. NewTx rec: Physical therapy
581	d6r_chiro	Num	8	D6mQ12i. NewTx rec: Chiropractic treatment
582	d6r_psych	Num	8	D6mQ12j. NewTx rec: Psych, e.g., biofeedback, relaxation
583	d6r_lsr	Num	8	D6mQ12k. NewTx rec: Low level laser therapy
584	d6r_ptijn	Num	8	D6mQ12l. NewTx rec: Trigger point injections
585	d6r_botox	Num	8	D6mQ12m. NewTx rec: Botox injections
586	d6r_acup	Num	8	D6mQ12n. NewTx rec: Acupuncture
587	d6r_oclu	Num	8	D6mQ12o. NewTx rec: Occlusal adjustment
588	d6r_ortho	Num	8	D6mQ12p. NewTx rec: Orthodontics
589	d6r_restdn	Num	8	D6mQ12q. NewTx rec: Restorative dentistry
590	d6r_recnst	Num	8	D6mQ12r. NewTx rec: Full mouth reconstruction
591	d6r_jsrg	Num	8	D6mQ12s. NewTx rec: Jaw surgery
592	d6r_arthcnt	Num	8	D6mQ12t. NewTx rec: TMJ arthrocentesis
593	d6r_arthscp	Num	8	D6mQ12u. NewTx rec: TMJ arthroscopic surgery
594	d6r_jntsrg	Num	8	D6mQ12v. NewTx rec: TMJ open joint surgery
595	d6r_oth	Num	8	D6mQ12w. Other
596	d6at_ch	Num	8	D6mQ13. # types of intra-oral appliancesgave Pt
597	d6ch_dx	Num	8	D6mQ14a. Why chg Tx: Dx changed
598	d6ch_fct	Num	8	D6mQ14b. Why chg Tx: Factor(s) that affect their pain changed
599	d6ch_nocompl	Num	8	D6mQ14c. Why chg Tx: Not adhering to Tx rec
600	d6ch_nobtr	Num	8	D6mQ14d. Why chg Tx: Not improving
601	d6ch_newint	Num	8	D6mQ14e. Why chg Tx: They had interest in new Tx

Variables in Creation Order

#	Variable	Type	Len	Label
602	d6ch_cost	Num	8	D6mQ14f. Why chg Tx: Now can afford more Tx
603	d6ch_oth	Num	8	D6mQ14g. Why chg Tx: Other
604	d6ch_snc_tx	Num	8	D6mQ15. Describe change in Pt pain
605	d6complete	Num	8	Dentist completed 6-month
606	ded4g	Num	8	education 4 groups
607	DecYOB	Num	8	Decade of year of birth